

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S28	2	("7441225").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2009/01/30 15:22
S29	2	("20040133289").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2009/01/30 15:48
S30	8	((("6,161,071") or ("7,260,505") or ("5,951,619") or ("6,161,071") or ("5,914,845")).PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2009/01/30 16:02
S31	2	("7039474").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2009/01/30 16:27
S32	17476	fault adj tolerant	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2009/01/30 16:32
S33	1160	(fault adj tolerant) with design	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2009/01/30 16:32
S34	20	(fault adj tolerant) with design with verif\$7	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2009/01/30 16:33
S35	6	vehicle and S34	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2009/01/30 16:33
S36	650922	actuator	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2009/01/30 16:33
S37	5	S35 and S36	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2009/01/30 16:33
S38	829	(fault adj tolerant) with (designer operator user engineer)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2009/01/30 16:50
S39	84	S36 and S38	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2009/01/30 16:50
S40	10	brake and S39	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2009/01/30 16:50
S41	163278	severity criticality	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2009/01/30 16:57

S42	8	S39 and S41	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2009/01/30 16:58
S43	19420	diagnos\$3 with fault	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2009/01/30 17:11
S44	2072	S36 and S43	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2009/01/30 17:12
S45	14	S38 and S44	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2009/01/30 17:12
S46	597	diagnos\$3 with (function \$2 near2 fault)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2009/01/30 17:18
S47	63	S36 and S46	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2009/01/30 17:19
S48	118432	sensor same actuator	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2009/01/30 17:20
S49	40	S47 and S48	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2009/01/30 17:20
S50	18	(designer engineer user) and S49	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2009/01/30 17:20
S51	6	map\$4 and S50	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2009/01/30 17:26
S52	14842	safety near3 level	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2009/01/30 18:38
S53	494	(safety near3 level) with function	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2009/01/30 18:38
S54	40	silence near6 fault	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2009/01/30 18:39
S55	1	S53 and S54	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2009/01/30 18:40
S56	72	silence with fault	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2009/01/30 18:40
S57	1	S56 and S53	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2009/01/30 18:40

S58	84	S53 and diagno\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2009/01/30 18:42
S59	66	event and S58	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2009/01/30 18:42
S60	18	actuator and S59	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2009/01/30 18:42
S61	589	state adj chart	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2009/01/30 19:49
S62	74	actuator and S61	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2009/01/30 19:49
S63	60	event and S62	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2009/01/30 19:49
S64	57	sensor and S63	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2009/01/30 19:50
S65	43	architecture and S64	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2009/01/30 19:51
S66	16	simulat\$3 and S62	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2009/01/30 19:52
S67	6	refin\$5 and S66	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2009/01/30 19:52
S68	17476	fault adj tolerant	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2009/01/31 17:44
S69	2147	actuator and S68	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2009/01/31 17:45
S70	3102	(upset event) near4 (severity criticality)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2009/01/31 17:46
S71	13	S69 and S70	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2009/01/31 17:46
S72	20	functional adj failure adj analy\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2009/01/31 18:08
S73	3	actuator and S72	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2009/01/31 18:09

S74	1691	functional adj failure	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2009/01/31 18:10
S75	153	actuator and S74	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2009/01/31 18:10
S76	5	silent and S75	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2009/01/31 18:10
S77	69	silent and S69	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2009/01/31 18:16
S78	4	functional adj fault adj analy\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2009/01/31 18:16
S79	115	((functional adj (fault failure)) with analy\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2009/01/31 18:19
S80	13	actuator and S79	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2009/01/31 18:19
S81	142	((functional adj2 (fault failure)) with analy\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2009/01/31 18:27
S82	16	actuator and S81	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2009/01/31 18:27
S83	61185	silent	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2009/01/31 19:33
S84	27551	((fault failure) adj (tolerance tolerant)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2009/01/31 19:34
S85	40424	safety adj2 system	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2009/01/31 19:34
S86	485	S83 and S84	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2009/01/31 19:34
S87	29	S85 and S86	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2009/01/31 19:35
S88	14	actuator and S87	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2009/01/31 19:36
S89	149361	severity	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2009/01/31 20:08

S90	2	S88 and S89	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2009/01/31 20:08
S91	391	S84 and S85	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2009/01/31 20:08
S92	44	S89 and S91	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2009/01/31 20:08
S93	17	actuator and S92	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2009/01/31 20:09
S94	260	undesirable near4 severity	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2009/01/31 20:18
S95	11	actuator and S94	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2009/01/31 20:18
S96	1155	limp adj home	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2009/01/31 21:22
S97	472	actuator and S96	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2009/01/31 21:22
S98	2	S94 and S97	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2009/01/31 21:23
S99	77	undesirable and S97	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2009/01/31 21:23
S100	2	S85 and S99	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2009/01/31 21:24
S101	6	S84 and S99	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2009/01/31 21:24
S102	101957	(spac\$3 tim\$3) with domain	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2009/02/01 08:18
S103	508	(spac\$3 tim\$3) with domain with redundan\$2	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2009/02/01 08:18
S104	184	(replicat\$3 copy\$3) and S103	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2009/02/01 08:19
S105	8	actuator and S104	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2009/02/01 08:19

S106	101	IEC adj "61508"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2009/02/01 16:35
S107	5	replicat\$3 and S106	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2009/02/01 16:35
S108	7	(severe severity) and S106	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2009/02/01 16:45
S109	2	pdf and S106	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2009/02/01 17:22
S110	19	copy\$3 and S106	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2009/02/01 17:30
S111	14	actuator and S110	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2009/02/01 17:31

2/3/09 9:57:54 AM

C:\Documents and Settings\NLevin\My Documents\EAST\Workspaces\10585934.wsp